Payment Voucher Form

	VENDOR NAME:	TAUC TAUC	LAUCKS TESTING LABOR	LABORATORIES, INC.	INC	King County	5			Voucher No:	•	RECYCLED
	Remit Address:	940	RNEY S				5	din.y)	>	H	OFF THE WIENE
		SEATTLE,	TLE, WA		98108	Vondonik						5 1 5
Line	Purchase Order#	ě	osioval				No.			Date		10-18-0
	(or Contract #)	3 2	Mirmhor	Discount	Net	Net Amount	_	ARMS CODING BLOCK				
		3	Jagiina				. o z	Org. Unit or Fund	Account	Task	Opt	Project
-			212174			78.00	: 2	1768	E310E	200	0	
7							:		00100	202	T03	MNO4LA
3												
4												
5												
9							-					
7												
8							+					
ဝ							-					
10							+					
7							+-					
12												
Somp evie	Comptrollers Office Reviewed By:		DATE	TOTAL	₩.	78.00		N = No PO F = Final PO Payment P = Parital PO Payment		Name o	f Fund/Dept c	Name of Fund/Dept charged above
eceivi	Receiving Certification (if paying for goods or servings)	ving for a	opposite or opposite				4	S = Spik Distr. on PO		KC A	IRPORT	KC AIRPORT 06-18-07

furnished, the services rendered or the labor performed as described herein, and that the claim is a just, due and unpaid obligation against the County of King, and that I am authorized Payment Certification (By Authorized Signer) to authenticate and certify to said claim.

furnished, the services rendered or the labor performed as described herein.

Date

Name(if not legible)

Signature

BUCO10-10-C2 11/1/81

(Forward Original to Comptroller's Office, Accounts Payable)

Signature



JUN 11 JUN

INTERNAL ONAL

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX (206) 767-5063 www.lauckslabs.com

Invoice

Page 1 of 1

INVOICED ON: June 08, 2007 RECEIVED ON: June 04, 2007

INVOICE TO: King County International Airport

7277 Perimeter Rd. S Seattle, WA 98108

SDG #: KCI0070601 INVOICE #: 212174

REMIT TO: Laucks Testing Laboratories

940 South Harney Street Seattle, WA 98108

ATTEN: Milton Hvertas WORK ID: Maint, Shop

P.O.#: S03-000343

REPORT TO: King County International Airport

7277 Perimeter Rd. S Seattle, WA 98108

ATTEN: Milton Hvertas

ATTEN: Accounts Receivab e my to maintmaner PHONE: (206)767-5060

DESCRIPTION Tests	UNIT PRICE	QUANTITY	AMOUNT
150.1 pH, Water	\$10.00	1	\$10.00
180.1 Turbidity, Water	\$10.00	1	\$10.00
200.7 - Metals, water by ICP	\$43.00	1	\$43.00
SM2340B Hardness by Calculation (ICP), water	\$15.00	1	\$15.00

Amount Due \$78.00

\$78.00

Please include our invoice number for proper credit to your account.

W W W W ON W FORM LTL-ACC-2.0

The sole liability of these laboratories for these services, including claims for negligence, strict liability in tort or warranty, shall not exceed the amount of this invoice. Samples may be discarded after analysis unless otherwise requested. A finance charge of 1.5% will be charged on all past due accounts, which is an annual percentage rate of 18%.



INTERNATIONAL

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX (206) 767-5063 www.lauckslabs.com

Certificate of Analysis

Client:

King County International Airport

7277 Perimeter Rd. S

Seattle, WA 98108

ATTN:

Milton Hvertas

Work ID: Taken By: Maint. Shop

CLIENT

Transported By: HAND DELIVERED

SDG Number:

KCI0070601

06/04/2007

Date Received: Date Reported:

06/08/2007

Client Job ID:

S03-000343

Sample Identification:

Lab Sample II

Sample Description

Collection Date/Time

Type

KCI0070601-001

Kcia Maint, Shop

06/04/2007

Water

Unless otherwise instructed all samples with the exception of samples which are consumed during the analysis, such as microbiological samples, will be disposed of on or after 8/2/07

Respectfully submitted,

Laucks Testing Laboratories, Inc.

in Quens

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the performance of inspection and/or analysis in good faith and according to the rules of trade and science.








Final Results for SDG KCI0070601

Sample Number:	Kcia Maint. Shop		
Lab Sample ID:	KCI0070601-001	Collected On:	06/04/2007 12:00
Method	Analyte	Final result	Units of result
E150.1	рН	6.6	pH Units
E180.1	Turbidity	24	NTU
E200.7	Lead	11.4	ug/L
	Copper	91.9	ug/L
	Zinc	232	ug/L
SM2340B	Hardness	47	mg/L



KCSlip4 62052 SEA430245